AIRIS

September - December 2006



www.airis.es

Spain. France. Taiwan. Hong Kong. Brazil. Denmark.

Infinity System Group



Infinity System Group

Infinity System is the most important Spanish company which offers computers and other electronic products to both the consumer and business segments.

Best known for its brand **AIRIS**, the Infinity System Group employs more than 500 people and has more than 7.000 dealers / distributors in more than 30 countries (Spain, Great Britain, Italy, Portugal, Greece, the Netherlands, Germany, France, Belgium, Chile, Brazil, Bahrain....)

More than 1.500.000 clients have already trusted in Infinity System



Our highlights:

-Build to order manufacturing
-Latest technology at the best prices
-Quality (ISO 9001:2000; ISO 14001) and aftersales support
-Performance and reliability
-Growing range of quality products
-Constant growth up to 420M€ billing in FY 2005

AIRIS

In 2004, Infinity System became the third largest European computer manufacturer with offices in Spain, Brazil, Taiwan, Hong Kong and Shenzhen with 30 native-speaking employees to give services to customers in the worldwide, logistic facilities in the Netherlands and a growing international presence, covering more than 30 countries in Europe, Asia and America.

One of the keys of Infinity System's success has been the investment made in I+D of great part of its benefits. In order to be the vanguard of innovation the company counts with on two in-house departments of Research and Development in Taiwan and Spain.During 2005, the company has expanded its manufacturing plant to a size of 9000 square meters. Previously Infinity System had a manufacturing capacity of about a 20,000 PCs per month and with these new facilities it will be able to produce 60,000 units, more than 700,000 to the year.

Our Services
Two year warranty, aftersales service, marketing back-up.

Our promises
72 hours delivery, more than 200 possible configurations, latest technologies, competitive prices.

Always looking to offer the latest technology at the best prices, AIRIS has widened its range of products in the field of Audio and Video with the addition of Plasma and TFT TV screens, PDA's, Mobile Phones, Digital Cameras, DVD players and recorders, Home cinema systems, MP3... Products that have already been proven to be a success for AIRIS with more than 1.500.000 units sold in just one year. Latest technology at affordable prices to provide the market with a wide variety of award-winning products for everyday living.

We are sure that you will find the possibility of working together with AIRIS very interesting. Contact us!.

PRIZES

PRODUCT	PRICE
Notebook AIRIS Pragma 985	**PC Today** Dic´05

PRODUCT	PRICE
Navigador AIRIS T900	**Personal Computer & Internet** Feb´06

PRODUCT	PRICE
Plasma TV AIRIS MW178	**Computer Idea** Feb´06

PRODUCT	PRICE
DVD Recorder 5.1 whit MPEG4 and HD 80 GB AIRIS LW105H	**Audio Video Foto** Ene´06

Notebooks

Thin & Light

ENTRY LEVEL

AIRIS PRAGMA N920
TFT 15,4”

- TFT 15.4" WXGA Wide (1280x800)
- 256 MB DDR up to 1024 MB DDR 333 MHz (2 slot)
- SVGA ATI® Mobility™ Radeon® Xpress 200 up to 128 MB DDR Sh.M. (PCI Express)
- HD 40 GB up to 100 GB
- Up to DVD±R/RW Dual Double Layer
- Ion-Lithium Battery (6 cells)
- Wireless 802.11bg (optional)
- 4x USB 2.0, TV-Out
- Modem/Fax 56 Kbps
- Lan 10/100 Mbps
- W: 357 mm x D: 271 mm x H: 24-39 mm
- 3.0 Kg

AIRIS PRAGMA N930
TFT 15,4”

- TFT 15.4" WXGA Wide (1280x800)
- 256 MB DDR2 up to 2048 MB DDR2 533 MHz (2 slot)
- SVGA Intel® GMA 900 up to 128 MB DDR Sh.M. (PCI Express)
- HD 40 GB S-ATA up to 120 GB S-ATA
- Up to DVD±R/RW Dual Double Layer
- Ion-Lithium Battery (6 cells)
- Wireless 802.11bg (optional)
- 4x USB 2.0, TV-Out, Card Reader
- Express Card, SPDIF, IEEE1394
- Modem/Fax 56 Kbps, Lan 10/100 Mbps
- W: 357 mm x D: 271 mm x H: 24-39 mm
- 3.0 Kg.

AIRIS PRAXIS N1000
TFT 15.4” WXGA Glare-Type

- TFT 15.4" WXGA Wide Glare-Type (1280x800)
- Intel® Core® Duo or Core ® Solo processors up to T2600 2.16GHz, 2MB L2, 667 MHz
- 256MB DDR2 up to 2048 MB DDR2 667MHz (2 slot) Dual Channel
- SVGA Intel ® GMA 950 up to 128MB DDR Sh.M. (PCI Express)
- HD 40GB up to 120GB S-ATA
- Up to DVD ±R/RW Dual Double Layer
- Ion-Lithium Battery (6 cells)
- Bluetooth (Optional) & Wireless 802.11abg
- 4xUSB 2.0, IEEE1394, PC Card Express, TV-out
- SPDIF, Card Reader SD/MS/MMC
- Modem/Fax 56Kbps
- Lan 10/100/1000Mbps
- W: 355mm x D: 256mm x H: Front 26 - 41mm
- 2.7 Kg

AIRIS PRAXIS N1005
TFT 15,4” WXGA Glare-Type

- TFT 15.4" WXGA Wide Glare-Type (1280x800)
- Intel® Core® Duo or Core ® Solo processors up to T2600 2.16GHz, 2MB L2, 667 MHz
- 256MB DDR2 up to 2048 MB DDR2 667MHz (2 slot) Dual Channel
- Nvidia® GeForce® Go 7400 256MB DDR2 (PCI Express)
- HD 40GB up to 120GB S-ATA
- Up to DVD ±R/RW Dual Double Layer
- Ion-Lithium Battery (6 cells)
- Bluetooth (Optional) & Wireless 802.11abg
- 4xUSB 2.0, IEEE1394, PC Card Express, TV-out
- SPDIF, Card Reader SD/MS/MMC
- Modem/Fax 56Kbps
- Lan 10/100/1000Mbps
- W: 355mm x D: 256mm x H: Front 26 - 41mm
- 2.7 Kg

AIRIS PRAXIS N1217
TFT 17” WXGA Glare Type

- TFT 17" WXGA+ Wide (1440x900)
- 256 MB DDR2 up to 2048 MB DDR2 533 MHz (2 slot)
- SVGA Intel® GMA 950 up to 128 MB DDR Sh.M. (PCI Express)
- HD 40 GB up to 120 GB
- Up to DVD±R/RW Dual Double Layer
- Ion-Lithium Battery (9 cells)
- Wireless 802.11abg / Bluetooth (optional)
- 4x USB 2.0, TV-Out, Card Reader
- Express Card, SPDIF, IEEE1394
- Bult In WebCam 1.3 Mpix.
- Modem/Fax 56 Kbps, Lan 10/100/1000 Mbps
- W: 394 mm x D: 287 mm x H: 36-39 mm
- 3.5 Kg.

AIRIS PRAXIS N1227
TFT 17" WXGA

- TFT 17" WXGA+ Wide (1440x900)
- 256 MB DDR2 up to 2048 MB DDR2 533 MHz (2 slot)
- SVGA NVIDIA® GeForce® 7400 GO 256 MB DDR (PCI Express)
- HD 40 GB up to 120 GB
- Up to DVD±R/RW Dual Double Layer
- Ion-Lithium Battery (9 cells)
- Wireless 802.11abg / Bluetooth (optional)
- 4x USB 2.0, TV-Out, Card Reader
- Express Card, SPDIF, IEEE1394
- Bult In WebCam 1.3 Mpix.
- Modem/Fax 56 Kbps, Lan 10/100/1000 Mbps
- W: 394 mm x D: 287 mm x H: 36-39 mm
- 3.5 Kg.

Desktop, TFT, POS & SOHO

AIRIS SRV 200

- Network Attached Storage
- Support up to 2 IDE HDD
- RAID 0, 1
- Share resources in your network
- USB Backup
- FTP Server, USB Printer Server, Static WEB Server
- e-mail Server SMTP / POP3
- Router, Firewall, Prevent DoS attacks
- Easy to instell, no license readel
- Web configuration

AIRIS NAS 400

- Network Attached Storage
- RAID 0, 1, 10, 5, 5 + spare, JBOD
- 4 SATA HDD Bays
- Network Client: Microsoft® Windows® / Linux / Unix
- Network Transport Protocol: TCP/IP
- Intel Gigabit Fast Ethernet
- Web User Interface
- Network File Protocol: CIFS/NFS/FTP
- Others: Firmware upgrade; Event Log e-mail Alert; Programmable System Clock
- Hot swap drives

POS AIRIS T300

- All-in-one wireless POS
- 15" TFT folding down touch screen ELO 5- wire
- Intel Socket 478 CPU, P4/Celeron FSB 533/400/333MHz
- Up to IGB DDR RAM
- Expandable power I/O ports.
- Compact mechanical design.
- Card reader and customer display
- 15" TFT LCD 250 nits, 1024 x 768 XGA
- 365 (W) x 351(H) x 343(D) mm, 8.1Kg
- 1 LAN, 1 LPT, 6 COM, 6 USB 2.0, sound
- 1 HDD, 1 CD ROM slim, single card reader track 1/213
- Multi card reader: SD/MMC/CF/SM/MS/Micro
- RJ11 Cash Drawer connector

AIRIS Desktop Signum

- Dimensions: 460 x 185 x 490 mm (H, W, L)
- External Bays: 3 x 5,25 and 1x 3,25
- Internal Bays: 7 x 3,25
- Carrying Handle
- Lateral & Back Ventilators 80 mm
- 2 USB 2.0 Frontals
- Frontal Audio In / Out Jacks

AIRIS Quantum

- Dimensions: 430 x 200 x 450 mm (H, W, L)
- External bays: 4 x 5,25 and 2 x 3,25
- Internal bays: 4 x 3,25
- Lateral & Back Ventilators 80 mm
- 2 USB 2.0 Frontals
- Frontal Audio In / Out Jacks

TFT AIRIS 19" MultiMedia Widescreen M143D CRT 21" Screen equivalent

- M143D 19" MONITOR
- Resolution 1440 x 900 75HZ
- Vision angle (H/V) 150º/130º
- Brightness 300 cd/m². Contrast 500:1
- Conexion anaglogic/DVI
- Built in power supply
- 435,4 x 418,5 x 263 mm
- Weight 5,6 Kg.
- Refresh time: 8 ms

Surveillance

USB2.0 Webcam with Pan/Tilt Controls

- Motorized Pan/Tilt Controls via Internet
- Pan: 350 degrees, Tilt: 135 degrees
- **Video Tracking for Surveillance Purpose**
- Integrate Yahoo!, MSN Message, Skype, AOL, ICQ
- Built-In Microphone
- 30fps at CIF/QCIF/VGA, 15fps at SVGA

MPEG4 Internet Camera with 3GPP/ISMA Mobile Phone Surveillance

- UPnP & dynamic IP support
- Intelligent motion detection
- 4X digital Zoom
- 802.11g Wireless Connection (Option)
- 3GPP/ISMA Mobile Phone Surveillance
- Free-bundled 16-CH audio/video recording software

Auto Pan/Tilt/Zoom MPEG4 Internet Cameras

- High Quality MPEG4 Short Header
- Mode Compression
- 10X Optical Zoom
- 10X Digital Zoom
- Two-Way audio function
- 802.11g Wireless Connection (Option)

Stand Alone DVR

- 4 channel standalone security digital video recorder MJPEG
- **Dual CCTV/LCD monitor outputs**
- **Multiple DVR management via Internet Explorer**
- Supports 2 hard drives (not included)
- Supports USB 2.0 for PC/NB backup
- I/O control for sensor and relay

Hybrid PC Based DVR

- Powerfull and user friendly Interface
- Supports Remote DVR Camera, analog and IP Cameras
- Up to 16 channels and 240 fps, True D1 Resolution
- Smart Alert Functions: SMS, PTZ Tracking, Alarm SOP wizard, Launch E-map
- Remote Access through Internet,
- Advanced Event Log Viewer
- Support for Additional POS Devices

PDAs, Navigators, Dect Phones, Walkies, SmartPhone

AIRIS T920 ONE COUNTRY

- Samsung 2440 300Mhz
- Microsoft® Windows® CE .Net 4.2 Core version
- Anti-glare 3.5” Color TFT LCD, LED Backlight,
- 320 x 240, 65K colors, QVGA resolution, Landscape
- 256MB/512MB Nand Flash ROM and 64MB SDRAM
- SiRF GPS III module built-in (20 channels)
- Expansion spot for SD/MMC up to 1Gb
- Rechargeable Li-ion battery 1200mAh
- Accesories included: USB cable, Car holder and car charger.
- Navigation software Route 66 Navigate 7 with one country map in 256/512 SD cards. Countries available: Spain and Portugal, France, Benelux, DACH, Scandinavia, Italy, Uk

AIRIS T920 EUROPE

- Samsung 2440 300Mhz
- Microsoft® Windows® CE .Net 4.2 Core version
- Anti-glare 3.5” Color TFT LCD, LED Backlight,
- 320 x 240, 65K colors, QVGA resolution, Landscape
- 256MB/512MB Nand Flash ROM and 64MB SDRAM
- SiRF GPS III module built-in (20 channels)
- Expansion spot for SD/MMC up to 1Gb
- Rechargeable Li-ion battery 1200mAh
- Accesories included: USB cable, Car holder and car charger.
- Navigation software Navigate 7 Navigation software Route 66 Navigate 7 with european maps in 512 SD card or 2 Gb SD card

AIRIS WALKIE TALKIE T530

- Up to 3 km range
- 8 channels and 38 codes/channel (CTCSS)
- Clock and cronograph
- Water splash resistant
- Hands free, vox, monitor modes
- Channel Automatic scan
- Weight 171 gr. size 15,2x6x3,8 cm
- Multitone ringing
- 2 channel comunication
- Call tone and light screen
- Microphone and headset connector

AIRIS WALKIE TALKIE T540

- Up to 8 km range
- 8 channels and 38 code/channel (CTCSS)
- Hands free, vox, monitor modes
- Channel automatic scan
- Weight 171 gr. size 15,8x5,5x3,8 cm.
- Multitone ringing
- 2 channel comunications
- Call tone
- Call vibration
- Cronograph and light screen
- Microphone and headset connector

AIRIS T610 PDA with GPS receiver and Europe software maps

- ICPU: Samsung 400 MHz
- OS: Windows Pockect PC 2005 (Magneto)
- Screen: 3.5” touch screen
- Memory: 128MB ROM + 64MB RAM
- GPS antenna: SirF Star III high sensitivity
- Battery: Embedded Lithium battery

AIRIS T620 PDA with GPS receiver and Europe software maps

- ICPU: Samsung 400 MHz
- OS: Windows Pockect PC 2005 (Magneto)
- Screen: 3.5” touch screen
- Memory: 128MB ROM + 64MB RAM
- GPS antenna: SirF Star III high sensitivity
- Battery: Embedded Lithium battery
- Communications: Bluetooth/ WiFi 802.11b+g

Windows Mobile 5.0 Smartphone Edition T470

- TI OMAP 730 @ 200 Mhz
- GSM900 / DCS1800/PCS1900
- GPRS Class 10
- Size: ~107*45*16mm
- 128MB ROM+64MB RAM
- 1.9’ 65K QCIF TFT
- 1.3M CMOS camera
- Battery 1100mAh
- IrDA / Bluetooth 1.2 with A2DP
- Mini USB (1.1), micro SD
- SMS / WAP / MMS / Java (MIDP2.0)
- Pocket IE / Outlook(option) / MSN
- 64 Poly MIDI/ MP3/AAC /AAC+ /WMA/ WMV/ MPEG4
- Active Sync

AIRIS T800B1/T800B2 Dect phone

- Digital Dect telephone with GAP technology
- LCD screen 4 line lecture
- Phone book 40 numbers and names
- Call ID
- Easy use: has specific keys for redial,call transfer menu, phone book, silent mode and call information
- Hands Free
- Up to 20 hours talk time and up to 300 hours standby time
- Admits 5 extensions
- 300m exterior range and 50m interior
- T800B1 (Base)
- T800B2 DUO (Base + Extension)

AIRIS T800M1/T800M2 Dect phone

- Digital DECT telephone with GAP technology
- LCD screen with 4 lecture lines
- SMS, it has 4 mailboxes with individual PIN
- Phone Book 40 names and numbers
- Call ID
- Hands free
- Up to 9 hours talk time and up to 100 hours standby time
- Admits 5 extensions
- Exterior range of 300m, and 50 interior
- T800M1 (Base)
- T800M2 DUO (Base + Extension)

AIRIS T800A1/T800A2 Dect phone

- Digital DECT telephone with GAP technology
- Colour display
- SMS
- Polyphonic Ringtones
- Phone Book for 50 numbers and names with VIP groups
- Call ID
- Hands Free
- Up to 7 hours talk time and up to 70 hours standby time
- Admits up to 6 extensions
- Exterior renage up to 300m, 50m interior
- Extras: Games and screen saver
- T800A1 (Base)
- T800A2 DUO (Base + Extension)

MP3 & Media Player

ASPECTS MP3 Player

- MP3 and WMA compatible
- FM tuner built-in
- Backlight LCD screen

NAS03	512 MB
NAS04	1 GB
NAS05	2 GB

AIRIS Color MP4 Player 1,5" OLED Screen

- 65.000 colours OLED 1.5" screen
- MP3, MP4, WMA and JPEG compatible
- FM tuner built-in
- Lithium battery

N0040	512 MB
N0041	1 GB
N0042	2 GB

AIRIS POP Video 200

- 4,3" TFT screen
- 480x272 pixels and 16.7 million colours
- MPEG4, MP3, AVI, JPEG, VOB, MPEG2

PMPA40	40 GB
PMPA80	80 GB

AIRIS POP Video 300

- 4,3" TFT screen
- 480x272 pixels and 16.7 million colours
- MPEG4, MP3, AVI, JPEG, VOB, MPEG2
- Video and audio recording capability

PMPR40	40 GB
PMPR80	80 GB

AIRIS Color MP4 Player 2” TFT Screen

-TFT 2.0” TFT Screen
- MP4, MP3, WMA and JPEG compatible
- Built-in FM tunner
- Lithium battery

N0051	1 GB
N0052	2 GB
N0053	4 GB

AIRIS MP3 2.1
Portable Stereo Speakers L171

- Stereo line-in
- 5W x 2
- 7V DC
- AAA Battery

AIRIS MP3 2.1
Portable OTG Stereo Speakers L172

- Stereo line-in
- 5W x 2
- 7V DC
- OTG (On the go)
- Conect directly thought USB

AIRIS POP MP3 Player

- MP3 and WMA compatible
- Sort your songs by artist, album, year, genre or song title
- SD card reader

N973	40 GB
N986	60 GB
N989	80 GB

AIRIS L170 Stereo Speakers

- 2 woofers, 2 tweeters, 1 subwoofer
- 50W rms, 100W pmpo
- Built in mini USB dock
- Line in
- Remote control
- MP3 Player not included

AIRIS 2.1 Wireless Speakers L167A

- Total Power output: 50W
- Main / Rean Channel: 10W x 2 RMS, 8 Ohms
- Subwoofers: 30W RMS, 8 Ohms
- Wireless frecuency: 864 MHz

Digital Cameras
Digital Videocameras

ASPECTS
AC10 3,2 Mpx

- Image sensor: 3,2 Mpx
- Image resolution: 2560 x 1920 interp.
- 1.5" Color TFT LCD
- 4x Digital Zoom
- SD Card up to 1GB supported
- Video recorder
- 2 x AAA Alkaline

AIRIS PhotoStar
DC50 5 Mpx

PictBridge

- **Image sensor: CCD 5 Mpx**
- Image resolution: 3072 x 2304 interp.
- 1.7 " Color TFT LCD
- 4x Digital Zoom
- SD Card up to 1 GB supported
- Video recorder
- **Lithium-ion battery**

AA Battery Charger

- **Include 2 AA 1600 mAh.**
- **Rechargeable batteries.**

Secure Digital Memory (SD)

- **For: Digital cameras, PDAS, Smarphones,…**
- **Size: 128 MB, 256 MB, 512 MB, 1 GB and 2GB**

AIRIS PhotoStar DC60 6 Mpx

PictBridge

- **Image sensor: CCD 6 Mpx**
- Image resolution: 2816 x 2112
- **2.4" color TFT LCD**
- **3x Optical Zoom lens**
- SD Card up to 1 GB supported
- Video recorder
- 2 x AA Alkaline.

AIRIS PhotoStar DC61 6 Mpx

- **Image sensor: CCD 6 Mpx**
- Image resolution: 2848 x 2136
- **2.5" LTPS LCD**
- **3x Optical Zoom lens**
- SD Card up to 1 GB supported
- Video recorder
- **Lithium-ion battery**

AIRIS PhotoStar DC80 8.1 Mpx

PictBridge

- **Image sensor: CCD 8.1 Mpx**
- Image resolution: 3264 x 2448
- **2.5" LTPS LCD**
- **3x Optical Zoom lens**
- SD Card up to 1 GB supported
- Video recorder
- **Lithium-ion battery**

AIRIS PhotoStar N729

- Image sensor: 3.2 Mpx
- Image resolution: 2976 x 2232 interp.
- **2" LTPS LCD**
- **8x Digital Zoom**
- **MPEG-4 video recorder**
- SD Card up to 2 GB supported
- **Lithium-ion battery**

Accessories for cameras

- **Rechargeable Lithium- Ion Battery**
- **AC Adaptor**
- **USB cable**

DVD Technology & Home Theater

AIRIS L202 MPEG4 Mini Hi-Fi

- FM radio
- DVD-video, mp3, video cd, svcd, mpeg-4, jpeg
- Output: Composite video, scart
- Usb port OTG (on the go)
- 15x2W rms
- DVD+/-RW compatible
- Coaxial digital output

AIRIS DVD Player LW103A 5.1 MPEG4

- DVD Video, MPEG4, MP3, JPEG, CDDA compatible
- 5.1Channel Output
- Progresive Scan Output

AIRIS 5.1 Speakers L168/L163W

- Total Power output: 80W
- Main / Rean Channel: 10W x 5 RMS, 8 Ohms
- Subwoofers: 30W RMS
- 5.1 Channel Line in
- Wireless 2.4 Ghz (Model L163W)

AIRIS HT00 Home-Theatre MPEG4

- DVD Video, MPEG4, MP3, JPEG, CDDA compatible
- 5.1Channel Output
- Progresive Scan Output
- USB
- 80 W

AIRIS HT01 Home-Theatre MPEG4 Wireless

- DVD Video, MPEG4, MP3, JPEG, CDDA compatible
- 5.1Channel Output
- Progresive Scan Output
- USB
- Card reader
- 80 W
- Wireless 2.4 Ghz

AIRIS DVD Player LW103L / LW103LH 5.1 MPEG4

- DVD Video, MPEG4, MP3, JPEG, CDDA compatible
- 5.1Channel Output
- Progresive Scan Output
- USB
- Card reader
- HDMI (Model LW103LH)

AIRIS LW109 H/L/T/X DVR HDD

80Gb / 160Gb / 200Gb / 250Gb

- DVD Video, MPEG4, JPEG, MP3, CDDA compatible
- Recording formats: DVD+R/+RW and HDD
- USB and DV Inputs

AIRIS LW106 H/L/T/X DVR HDD + DVBT HDMI

80Gb / 160Gb / 200Gb / 250Gb

- DVD Video, MPEG4, JPEG, MP3, CDDA compatible
- Recording formats: DVD+R/+RW and HDD
- USB and DV Inputs

DVDs Portables

AIRIS Portable DVD + MPEG-4 Player LW260/LW262

- DVD Video, MPEG-4, JPEG, CDDA compatible
- 7” Color TFT Screen
- A/V Input-output built in
- Li-Ion battery (LW262)

AIRIS Portable DVD + MPEG-4 Player + Extra 7” Display LW260C

- DVD Video, MPEG-4, JPEG, CDDA compatible
- 2 Screens: main 7”. Additional 7”
- Stereo Speakers built in on each screen

AIRIS Portable DVD + MPEG-4 with DVB-T LW263

- DVD Video, MPEG-4, JPEG, CDDA compatible
- DVB-T Tunner built in
- Remote control

AIRIS Portable DVD + MPEG-4 Player Display LW262C

- DVD Video, MPEG-4, JPEG, CDDA compatible
- 2 Screens: main 7”. Additional 7”
- Stereo Speakers built in on each screen
- Lithium-ion battery

DVB-T / Combo TV

AIRIS DVB-T S997

- 2 Scarts
- 1 Digital Output (Coaxial)
- RF Input / Output

AIRIS DVB-T + HDD 40GB / 80GB / 160GB TD002 / TD003 / TD004

- 2 Scarts and 1 Digital Output
- Timeshift Function
- 2 Tuner Built in
- HDD 40GB / 80GB / 160GB

AIRIS 14" Combo TV + DVD MPEG4 M201

- DVD Video, MPEG4, JPEG, MP3 Compatible
- Scart Output / Input
- Remote control

AIRIS 15" Flat Combo TV + DVD MPEG4 M205

- 15" Flat CRT Tube
- DVD Video, MPEG4, JPEG, MP3 Compatible
- Scart Output, Input

TFT - LCD TV / PDPs Plasma

AIRIS 7" LCD TV M203

- TV Tuner built in
- Remote control
- External RF Input Connector

AIRIS LCD TV 17" MW148 / LCD TV 19" MW151

- 1280 x 1024 Screen Resolution
- Contrast ratio: 500 : 1 / 550 : 1
- Brightness: 420cd/m² / 400cd/m²
- TV Tuner Built in
- High Brightness

AIRIS LCD TV 37" MW157

FULL HD

- 1366 x 768 to 1920 x 1080 Screen Resolution
- Brightness: 500 Cd/m2
- Contrast ratio: 1000 : 1
- DVB-T Tuner + Analogue TV Tuner Built In
- HDMI Ouput

AIRIS LCD TV 42" MW161

FULL HD

HD ready

- 1366 x 768 to 1920 x 1080 Screen Resolution
- Brightness: 500 Cd/m2
- Contrast ratio: 1000 : 1
- DVB-T Tuner + Analogue TV Tuner Built In
- HDMI Ouput

AIRIS LCD TV 17” MW147 / LCD TV 19” MW149

- 1280 x 1024 Screen Resolution
- Contrast ratio: 400 : 1 / 800 : 1
- Brightness: 300cd/m² / 250cd/m²
- TV Tuner Built in

AIRIS LCD TV 27” MW143

- 1366x768 Screen res.
- Contrast: 1000:1. Brightness: 550 cd/m²
- Analogue Tuner Built-in
- Aluminium housing

AIRIS LCD TV 32” MW156

- 1366 x 768 Screen Resolution
- Brightness: 500 Cd/m2
- Contrast ratio: 1000 : 1
- DVB-T Tuner + Analogue TV Tuner Built In
- HDMI Ouput

AIRIS Plasma TV 42” HD MW180

- 852 x 480 Screen Resolution
- Contrast ratio: 10000 : 1
- HDMI Input

AIRIS Plasma TV 50” MW181

-1366 x 768 Screen resolution
- Contrast ratio: 10000 : 1
- HDMI Input

AIRIS LCD Projector H104

- 800 x 600 Pixels Resolution
- Contrast ratio: 500 : 1
- Brightness: 1400 ANSI Lumens

AIRIS

- Notebook
- DVD Portable
- PDA
- TFT
- Home Cinema
- HI-FI
- DVD / DivX Reader
- Plasma
- CD Players / MP3
- Tablet PC
- Phone Mobile
- Mother Board
- CD / DVD
- ATX Case

www.airis.es